


**SAFE DRINKING WATER AND SANITARY CONDITION
CERTIFICATE**

This is to certify that after proper inspection of water and sanitation of **SOFIYA INTERNATIONAL SCHOOL**, Village Sadharansir Post Nagal Tehsil Deoband Distt Saharanpur (U.P.) has adequate drinking water (Potable water) facilities for all students and staff members. RO system are installed properly as per the capacity of the school.

Hygienic condition of the school is proper and adequate.

*As per Pednology Report seen
on 10/06/19*


Manager
Sofiya International School
Nagal, Saharanpur


10/06/19

कर्मचारी
सांख्यिकी विभाग
सागर (सहारनपुर)

L37 - SHAMA PATHOLOGY

Name : Mr. SOFIYA INTARNATIONAL SCHOOL
Lab No. : 258215281 Age: 1 Year Gender: Male Collected : 20/5/2019 2:17:00PM
A/c Status : P Ref By : SELF Received : 20/5/2019 2:30:28PM
Reported : 23/5/2019 10:30:25AM
Report Status : Final

Test Name	Results	Units	Bio. Ref. Interval
-----------	---------	-------	--------------------

CULTURE AEROBIC, MISCELLANEOUS @
(Conventional culture, Automated Identification & Sensitivity)
Type of Specimen : ...

Result :- No Aerobic pyogenic organism grown

SIL
Manager
Sofiya International School
Nagal, Saharanpur

Ritu

Dr Ritu Nayar
MD, Microbiology
Deputy HOD - Microbiology & Serology
NRL - Dr Lal PathLabs Ltd

Shalabh Malik

Dr Shalabh Malik
MD, Microbiology
National Head - Microbiology & Serology
NRL - Dr Lal PathLabs Ltd

Seen by
on basis of Microbiol
infectious disease
analysis
in school

End of report

IMPORTANT INSTRUCTIONS

*Test results released pertain to the specimen submitted.*All test results are dependent on the quality of the sample received by the Laboratory.
*Laboratory investigations are only a tool to facilitate in arriving at a diagnosis and should be clinically correlated by the Referring Physician.*Sample repeats are accepted on request of Referring Physician within 7 days post reporting.*Report delivery may be delayed due to unforeseen circumstances. Inconvenience is regretted.*Certain tests may require further testing at additional cost for derivation of exact value. Kindly submit request within 72 hours post reporting.*Test results may show interlaboratory variations.*The Courts/Forum at Delhi shall have exclusive jurisdiction in all disputes/claims concerning the test(s) & or results of test(s).*Test results are not valid for medico legal purposes.*Contact customer care Tel No. +91-11-39885050 for all queries related to test results.
(#) Sample drawn from outside source.

